ELSEVIER

Journal of Immunological Methods 209 (1997) 207–208

JOURNAL OF IMMUNOLOGICAL METHODS

Contents of volume 209 (1997)

Number 1 – 10 November1997

Research reports

Validation parameters for a novel biosensor assay which simultaneously measures serum concentrations of a humanized monoclonal antibody and detects induced antibodies
R.L. Wong, D. Mytych, S. Jacobs, R. Bordens and S.J. Swanson (USA) 1

Dual silver staining to characterise *Helicobacter spp.* outer membrane components
J.I. Keenan, R.A. Allardyce and P.F. Bagshaw (New Zealand) 17

An improved assembly assay for peptide binding to HLA-B* 2705 and H-2K^k class I MHC molecules
L. Tan, M.H. Andersen, T. Elliott and J.S. Haurum (UK, Denmark) 25

Temporal dynamics of CD69 expression on lymphoid cells
R. Craston, M. Koh, A. Mc Dermott, N. Ray, H.G. Prentice and M.W. Lowdell (UK) 37

Artificial cell surface constructs for studying receptor–ligand contributions to lymphocyte activation
J. Curtsinger, M.J. Deeths, P. Pease and M.F. Mescher (USA) 47

A new method for studying the binding of human IgE to CD23 and the inhibition of this binding
T. Sato, A. Konishi, S. Yasuno, J. Arai, M. Kamei, M. Bitoh and T. Yamaguchi (Japan) 59

Determination of intracellular cytokines by flow-cytometry following whole-blood culture
W.A. Carrock Sewell, M.E. North, A.D.B. Webster and J. Farrant (UK) 67

Retrieval of phage displayed scFv fragments using direct bacterial elution
T. Wind, B. Stausbøl-Grøn, S. Kjær, L. Kahns, K.H. Jensen and B.F.C. Clark (Denmark) 75

Manipulation of Th1/Th2 balance in vivo by adoptive transfer of antigen-specific Th1 or Th2 cells
A. Ohta, N. Sato, T. Yahata, Y. Ohmi, K. Santa, T. Sato, H. Tashiro, S. Habu and T. Nishimura (Japan) 85

A simple perfusion technique for isolation of maternal intervillous blood mononuclear cells from human placentae
J.M. Moore, B. Nahlen, A.V.O. Ofulla, J. Caba, J. Ayisi, A. Oloo, A. Misore, A.J. Nahmias, A.A. Lal and V. Udhayakumar (USA, Kenya) 93

Letter to the Editors

A more efficient and economical approach for monoclonal antibody production
S. Ker-hwa Ou and P.H. Patterson (USA) 105

Notes to authors 109

Number 2 – 1 December 1997

Research reports

Strategies for phenotyping apoptotic peripheral human lymphocytes comparing ISNT, annexin-V and 7-AAD cytofluorometric staining methods
H. Lecoeur, E. Ledru, M.-C. Prévost and M.-L. Gougeon (France) 111

Investigation of platelet–neutrophil interactions in whole blood by flow cytometry
M.J. Peters, R.S. Heyderman, D.J. Hatch and N.J. Klein (UK) 125

Determination of parameters that characterize effector–target conjugation of human NK and LAK cells by flow cytometry
G. Rubio, J. Garcia-Garcia, J. Galvez, N. Lorenzo, F. Lajarin and P. Garcia-Peñarrubia (Spain) 137

An improved chromatographic method for the separation of egg yolk IgG into subpopulations utilizing immobilized metal ion (Fe^{3+}) affinity chromatography
C.R. Greene and P.S. Holt (USA) 155

Adherence-dependent calcium signaling in monocytes: induction of a CD14-high phenotype, stimulus-responsive subpopulation
J. Bernardo, A.M. Billingslea, M.F. Ortiz, K.F. Seetoo, J. Macauley and E.R. Simons (USA) 165

Isolation of a mannose-binding and IgE- and IgM-reactive lectin from the seeds of *Artocarpus integer*
S.B. Lim, C.T. Chua and O.H. Hashim (Malaysia) 177

A simple and sensitive bioassay for the detection of human interleukin-18/interferon-γ-inducing factor using human myelomonocytic KG-1 cells
K. Konishi, F. Tanabe, M. Taniguchi, H. Yamauchi, T. Tanimoto, M. Ikeda, K. Orita and M. Kurimoto (Japan) 187

Formation of dimeric Fabs in *Escherichia coli*: effect of hinge size and isotype, presence of interchain disulphide bond, Fab' expression levels, tail piece sequences and growth conditions
D.P. Humphreys, A.P. Chapman, D.G. Reeks, V. Lang and P.E. Stephens (UK) 193

Letter to the Editors

A detailed protocol for the measurement of TGF-β1 in human blood samples
D. Reinhold, U. Bank, F. Bühling, U. Junker, J. Kekow, E. Schleicher and S. Ansorge (Germany) 203

Contents of volume 209 207

Notes to authors 209